

Novell

050-707 Exam

Novell Open Enterprise Server for NetWare Advanced Admin

Thank you for Downloading 050-707 exam PDF Demo

You can Buy Latest 050-707 Full Version Download

https://www.certkillers.net/Exam/050-707

_						_
n	ue	ch		n	•	1
u	uc	ЭLI	u			_

You have created a volume named ARCHIVE for file versioning. You need to configure your MySQL server to work with Archive and Versioning Services. To do this, which command would you enter at the server console to install a new MySQL database that uses the ARCHIVE volume and runs on port 3306?

- A. mysql --datadir=ARCHIVE:/ --port=3306
- B. mysqld_install_db dir=ARCHIVE:/ port=3306
- C. load mysqld --datadir=ARCHIVE:/ --port=3306
- D. mysql_install_db datadir=ARCHIVE:/ port=3306
- E. mysql_install_db --datadir=ARCHIVE:/ --port=3306

Answer: E

Question: 2

The NDS.01 file grows to a certain size and then an NDS.02 file is created for the remaining dat

- a. How big can NDS.01 get before the NDS.02 file gets created for the remaining data?
- A. 100 MB
- B. 500 MB
- C. 1 GB
- D. 2 GB
- E. 4 GB

Answer: D

Question: 3

In which area of the Novell corporate web site will you find links to documentation for Novell products?

- A. News & Events
- **B. Services & Support**
- C. Company Information
- D. Products & Solutions
- E. Partners & Communities

Answer: B

Question: 4

In which area of the Novell corporate web site will you find links to documentation for Novell products?

A. News & Events B. Services & Support C. Company Information D. Products & Solutions E. Partners & Communities	
	Answer: B
Question: 5	
Which ConsoleOne Reports category would you server object?	use to generate a report for your OES NetWare
A. Error Reports B. Server Reports	
C. User Security Reports D. General Object Reports	
E. User and Group Reports	
F. Unknown Objects Reports	
G. Disabled Accounts Reports	
	Answer: D
Question: 6	
Which OES NetWare services can be managed with	the IP Address Management Utility? (Choose 2.)
A. NAT B. DHCP C. iSCSI	
D. MySQL	
E. NetWare VNC F. iManager 2.5	
	Answer: D, F

Question: 7

Which SET parameter will cause the server to attempt to recover from all software and hardware abends, wait a specified amount of time, and then restart the operating system?

- A. SET AUTO RESTART AFTER ABEND = 0
- B. SET AUTO RESTART AFTER ABEND = 1
- C. SET AUTO RESTART AFTER ABEND = 2
- D. SET AUTO RESTART AFTER ABEND = 3

		Answer: C
Question: 8		
	SHARE for the SHARED directory on ould be used to access this share from	
A. \\DA2-W\SHARE B. \\DA2-W\SHARED C. \\DA2-W\DATA\SHARE D. \\DA2-W\DATA:\SHARED		
		Answer: A
Question: 9		
Which local file does an OES No	etWare server use to resolve hostnan	nes into IP addresses? (Choose 2.)
A. Sys:\Etc\Hosts B. Sys:\Etc\Named C. Sys:\Etc\Resolve D. Sys:\System\Host E. Sys:\Etc\Hostname F. Sys:\Public\Resolve G. Sys:\Login\Resolver\Named		
		Answer: A, E
Question: 10 Which server console comma server as a Primary Domain Co	nd is used to configure the CIFS serv	vice running on an OES NetWare
A. ENABLE PDC B. CIFS DOMAIN ON C. CIFS PDC ENABLE D. ENABLE CIFS PDC E. CIFS DOMAIN ENABLE F. CIFS DOMAIN CONTROLLER		
		Answer: E
Question: 11		

You have noticed two servers not communicating with each other. You have run DSTRACE and it is

showing -625 errors.	Your environm	ent is a pure IP	environment.	Which are	useful	troubleshootin	g
steps to help identify	(Choose 2.)						

- A. Verify that both servers have NSS volumes.
- B. Verify that time is synchronized on the network.
- C. Verify that each server has enough free disk space.
- D. Verify that DSREPAIR is not loaded and locking the database.
- E. Load IPXPING and verify that each server can ping each other.

Answer: B, D

Question: 12

Your iSCSI target server has an IP address of 10.200.200.1. Your iSCSI initiator has an IP address of 10.200.200.2. The iSCSI initiator is currently using a shared storage device on the iSCSI target. Which command can be entered at the server console of the iSCSI initiator to end the session?

- A. ISCSITAR END 10.200.200.1
- B. ISCSINIT CLOSE 10.200.200.2
- C. ISCSINIT RELEASE 10.200.200.2
- D. ISCSINIT DISCONNECT 10.200.200.1
- E. ISCSITAR DISCONNECT 10.200.200.2

Answer: D

Question: 13

What type of disk partition needs to be created on an OES NetWare server to support iSCSI shared storage?

- A. EXT3
- B. NTFS
- C. VFAT
- D. FAT32
- E. ReiserFS
- F. Novell NSS
- G. Novell iSCSI

Answer: G

Question: 14

Which eDirectory object in the Security container is used to configure security labels for NMAS graded authentication?

A. CA

- B. KAP C. Logi D. Secu
- C. Login Policy
- D. Security Policy
- E. Authorized Login Methods

Question: 15

You're troubleshooting an intermittent connectivity problem between the Windows XP client workstations and the OES NetWare server in your network. You need to continuously ping your server from a client workstation to test a hypotheses. By default, the Windows PING utility terminates after four pings. What switch would you use with the PING command on the workstation to configure it to ping continuously?

- A. -t
- В. -а
- C. -f
- D. -c
- E. -continuous
- F. -n continuous

Answer: A

Thank You for trying 050-707 PDF Demo

To Buy Latest 050-707 Full Version Download visit link below

https://www.certkillers.net/Exam/050-707

Start Your 050-707 Preparation

[Limited Time Offer] Use Coupon "CKNET" for Further discount on your purchase. Test your 050-707 preparation with actual exam questions.